


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	INITIAL RELEASE	28MAR11	RK	RH

- NOTE:
1. PACKAGING ACC. TO TE SPEC.107-18032  
BUNDLE EVERY 25 ASSEMBLIES WITH A RUBBER BAND
  2. ELECTRICAL TEST CONTAINING "SHORT CIRCUIT TEST, CONTINUITY AND ACCURATE CAVITY ASSIGNMENT TEST" ACC. TO TE-SPEC.108-18857, SUBSECTION 3.1.1
  3. ASSEMBLY COLOR: WHITE
  4. KEYING: HV-4

PN	L/ft	TOLERANCES/ft
X-2083072-1	2	+/- 0,01
X-2083072-2	4	+/- 0,02
X-2083072-3	6	+/- 0,03
X-2083072-4	8	+/- 0,04
X-2083072-5	10	+/- 0,05
X-2083072-6	12	+/- 0,06
X-2083072-7	14	+/- 0,07
X-2083072-8	16	+/- 0,08



mm	L	DESCRIPTION	POS.
mm	L	Cable SVT 2xAWG18 UL WH	6
PC	1	PLUG MINI HVL HV-4	5
PC	2	MICRO QUADLOK SYSTEM SOCKET CONTACT	4
PC	2	TUBE FOR SVT CABLE	3
PC	2	MICRO QUADLOK SYSTEM PIN CONTACT	2
PC	1	OUTLET, MINI HVL 7.5mm HV-4	1
UOM	QTY	DESCRIPTION	POS.
	1--X		

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAVINDRA K 28MAR11	TE Connectivity													
DIMENSIONS: mm		CHK R.HOSSAINI 31MAR11														
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R.HOSSAINI 31MAR11	NAME CABLE ASSEMBLY NECTOR S LINE 2POS. HV-4, MALE TO FEMALE													
<table border="1"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± -</td></tr> <tr><td>2 PLC</td><td>± -</td></tr> <tr><td>3 PLC</td><td>± -</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± -</td></tr> </table>		0 PLC	± -	1 PLC	± -	2 PLC	± -	3 PLC	± -	4 PLC	± -	ANGLES	± -	PRODUCT SPEC -	SIZE A3	
0 PLC	± -															
1 PLC	± -															
2 PLC	± -															
3 PLC	± -															
4 PLC	± -															
ANGLES	± -															
MATERIAL -		APPLICATION SPEC -	CAGE CODE 00779	DRAWING NO C-2083072												
FINISH -		WEIGHT -	RESTRICTED TO -													
CUSTOMER DRAWING			SCALE NTS	SHEET 1 OF 1												
			REV A													